



Handle collection

* On 30 cm wide units handles with drilling dimensions 224 and 320 mm are only available with vertical handle position.

* On 40 cm wide units handles with drilling dimensions 320 mm are only available with vertical handle position.

The following are alternative handles with horizontal handle position: 751 = 740, 784 = 725, 789 = 723, 792 = 592



140 brilliant chrome



Height 44 mm



142 black



Height 17 mm



150 stainless steel coloured



Height 28 mm



152 antique brown



Height 28 mm



153 black



Height 35 mm



154 black



Height 28 mm



155 cast iron black



Height 27 mm



158 gold matt



Height 30 mm



27201 stainless steel coloured



Height 30 mm
⊕ ⊕ 32 mm

27215 black



Height 30 mm
⊕ ⊕ 32 mm

27216 brushed brass



Height 30 mm
⊕ ⊕ 32 mm

311 antique brown




Height 22 mm
⊕ ⊕ 64 mm

417 stainless steel coloured




Height 30 mm
⊕ ⊕ 128 mm

485 stainless steel coloured



Height 36 mm
⊕ ⊕ 128 mm

494 antique brown



Height 30 mm
⊕ ⊕ 128 mm

497 antique brown



Height 40 mm
⊕ ⊕ 128 mm

510 black matt antique



Height 25 mm
⊕ ⊕ 160 mm

511 stainless steel coloured



Height 30 mm
⊕ ⊕ 160 mm

512 black



Height 30 mm
⊕ ⊕ 160 mm

513 stainless steel coloured



Height 30 mm
⊕ ⊕ 160 mm

516 stainless steel coloured



Height 32 mm
⊕ ⊕ 160 mm

518 brown matt




Height 30 mm
⊕ ⊕ 160 mm

Handle collection

* On 30 cm wide units handles with drilling dimensions 224 and 320 mm are only available with vertical handle position.

* On 40 cm wide units handles with drilling dimensions 320 mm are only available with vertical handle position.

The following are alternative handles with horizontal handle position: 751 = 740, 784 = 725, 789 = 723, 792 = 592



521 stainless steel coloured



Height 31 mm
⊕⊕ 160 mm

524 stainless steel coloured




Height 32 mm
⊕⊕ 160 mm

531 stainless steel coloured




Height 30 mm
⊕⊕ 160 mm

534 bronze light




Height 19 mm
⊕⊕ 160 mm

536 black




Height 19 mm
⊕⊕ 160 mm

537 brass matt




Height 35 mm
⊕⊕ 160 mm

538 black matt




Height 35 mm
⊕⊕ 160 mm

539 brushed brass matt



Height 37 mm
⊕⊕ 160 mm

540 black super matt



Height 37 mm
⊕⊕ 160 mm

541 stainless steel coloured



Height 36 mm
⊕⊕ 160 mm

542 black



Height 23 mm
⊕⊕ 160 mm

543 brushed brass matted



Height 22 mm
⊕⊕ 160 mm

544 bronze matted



Height 22 mm
⊕⊕ 160 mm

547 bronze coloured



Height 30 mm
⊕⊕ 160 mm

589 black



Height 32 mm
⊕⊕ 160 mm

591 platinum



Height 30 mm
⊕⊕ 160 mm

592 black



Height 31 mm
⊕⊕ 160 mm
curved

594 platinum




Height 30 mm
⊕⊕ 160 mm

595 black matt antique



Height 27 mm
⊕⊕ 160 mm

597 titanium



Height 30 mm
⊕⊕ 160 mm

598 bronze matt



Height 30 mm
⊕⊕ 160 mm

599 black





Height 31 mm
⊕⊕ 160 mm

Handle collection

* On 30 cm wide units handles with drilling dimensions 224 and 320 mm are only available with vertical handle position.

* On 40 cm wide units handles with drilling dimensions 320 mm are only available with vertical handle position.

The following are alternative handles with horizontal handle position: 751 = 740, 784 = 725, 789 = 723, 792 = 592



707 stainless steel coloured



Height 32 mm
⊕⊕ 192 mm

723 black brown



Height 32 mm
⊕⊕ 192 mm

725 black



Height 28 mm
⊕⊕ 192 mm

726 platinum



Height 30 mm
⊕⊕ 192 mm

730 gold



Height 28 mm
⊕⊕ 192 mm

733 black matt



Height 32 mm
⊕⊕ 192 mm

734 black



Height 32 mm
⊕⊕ 192 mm

740 stainless steel coloured



Height 36 mm
⊕⊕ 192 mm

751 stainless steel coloured



Height 36 mm
⊕⊕ 224 mm *

784 black



Height 32 mm
⊕⊕ 320 mm *

789 black brown



Height 32 mm
⊕⊕ 320 mm *

792 black




Height 31 mm
⊕⊕ 320 mm *
curved

831 stainless steel coloured




Height 36 mm
⊕⊕ 150 mm

Bar handles



811 stainless steel coloured




Height 36 mm
⊕⊕ see table




From a door height of 892 mm or panel width of 896 mm the bar handle will have 3 feet.

Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	163 mm
396 mm (40)	250 mm	263 mm
446 mm (45)	300 mm	313 mm
496 mm (50)	350 mm	363 mm
546 mm (55)	350 mm	363 mm
596 mm (60)	450 mm	463 mm
746 mm (75)	450 mm	463 mm
758 mm (76,2)	450 mm	463 mm
796 mm (80)	650 mm	663 mm
896 mm (90)	2 x 375 mm	763 mm
996 mm (100)	2 x 425 mm	863 mm
1196 mm (120)	2 x 525 mm	1063 mm
508 mm	362 mm	375 mm
636 mm	490 mm	503 mm
700 mm	554 mm	567 mm
764 mm	618 mm	631 mm
828 mm	2 x 340 mm	695 mm
892 mm	2 x 373 mm	759 mm
924 mm	2 x 389 mm	791 mm
988 mm	2 x 421 mm	855 mm
1052 mm	2 x 453 mm	919 mm
1116 mm	2 x 485 mm	983 mm
1180 mm	2 x 517 mm	1047 mm
1244 mm	2 x 549 mm	1111 mm
1308 mm	2 x 551 mm	1175 mm
1436 mm	2 x 645 mm	1303 mm
1564 mm	2 x 709 mm	1431 mm
> 1564 mm	618 mm	631 mm



840 stainless steel coloured




Height 30 mm
⊕⊕ see table



On doors with a width smaller than 296 mm, bar handles with handle length 182 mm will be supplied fitted vertically.


Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	182 mm
396 mm (40)	250 mm	282 mm
446 mm (45)	300 mm	332 mm
496 mm (50)	350 mm	382 mm
546 mm (55)	350 mm	382 mm
596 mm (60)	450 mm	482 mm
746 mm (75)	450 mm	482 mm
758 mm (76,2)	450 mm	482 mm
796 mm (80)	650 mm	682 mm
896 mm (90)	2 x 375 mm	782 mm
996 mm (100)	2 x 425 mm	882 mm
1196 mm (120)	2 x 525 mm	1082 mm



842 black




Height 35 mm
⊕⊕ see table




On doors with a width smaller than 296 mm, bar handles with handle length 170 mm will be supplied fitted vertically.


Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	170 mm
396 mm (40)	250 mm	270 mm
446 mm (45)	300 mm	320 mm
496 mm (50)	350 mm	370 mm
546 mm (55)	350 mm	370 mm
596 mm (60)	450 mm	470 mm
746 mm (75)	450 mm	470 mm
758 mm (76,2)	450 mm	470 mm
796 mm (80)	650 mm	670 mm
896 mm (90)	2 x 375 mm	770 mm
996 mm (100)	2 x 425 mm	870 mm
1196 mm (120)	2 x 525 mm	1070 mm


Bar handles



843 brushed brass




Height 35 mm
 see table




On doors with a width smaller than 296 mm, bar handles with handle length 170 mm will be supplied fitted vertically.

Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	170 mm
396 mm (40)	250 mm	270 mm
446 mm (45)	300 mm	320 mm
496 mm (50)	350 mm	370 mm
546 mm (55)	350 mm	370 mm
596 mm (60)	450 mm	470 mm
746 mm (75)	450 mm	470 mm
758 mm (76,2)	450 mm	470 mm
796 mm (80)	650 mm	670 mm
896 mm (90)	2 x 375 mm	770 mm
996 mm (100)	2 x 425 mm	870 mm
1196 mm (120)	2 x 525 mm	1070 mm



Corner solutions

With drawers (SK) and pull-outs (AZ) on corner solutions the planning dimension mustn't fall below of 650 x 650 mm. Due to technical reasons an opening angel of 107° isn't achievable.




Corner solutions

With drawers (SK) / pull-outs (AZ) and hinged doors with opening angle 96° on corner solutions the planning dimension mustn't fall below of 650 x 750 mm respectively 750 x 650 mm.

With corner base units the maximum planning dimension is 750 mm. Due to technical reasons an opening angel of 107° isn't achievable.

Bar handles




844 cashmere oak



Height 22 mm
 ⊕⊕ see table
 ⚡

Front heights Front widths	Drilling hole distance	Handle length
196 mm (20)	132 mm	192 mm
296 mm (30)	232 mm	292 mm
346 mm (35)	2 x 141 mm	342 mm
396 mm (40)	2 x 166 mm	392 mm
446 mm (45)	2 x 191 mm	442 mm
496 mm (50)	2 x 216 mm	492 mm
596 mm (60)	178 / 176 / 178 mm	592 mm
646 mm (65)	178 / 226 / 178 mm	642 mm
746 mm (75)	178 / 2 x 163 / 178 mm	742 mm
796 mm (80)	178 / 2 x 188 / 178 mm	792 mm
896 mm (90)	178 / 2 x 238 / 178 mm	892 mm
996 mm (100)	178 / 3 x 192 / 178 mm	992 mm
1196 mm (120)	178 / 250 / 276 / 250 / 178 mm	1192 mm

Colour deviations are possible in combination with melamine fronts.



845 walnut light




Height 22 mm
 ⊕⊕ see table
 ⚡

Front heights Front widths	Drilling hole distance	Handle length
196 mm (20)	132 mm	192 mm
296 mm (30)	232 mm	292 mm
346 mm (35)	2 x 141 mm	342 mm
396 mm (40)	2 x 166 mm	392 mm
446 mm (45)	2 x 191 mm	442 mm
496 mm (50)	2 x 216 mm	492 mm
596 mm (60)	178 / 176 / 178 mm	592 mm
646 mm (65)	178 / 226 / 178 mm	642 mm
746 mm (75)	178 / 2 x 163 / 178 mm	742 mm
796 mm (80)	178 / 2 x 188 / 178 mm	792 mm
896 mm (90)	178 / 2 x 238 / 178 mm	892 mm
996 mm (100)	178 / 3 x 192 / 178 mm	992 mm
1196 mm (120)	178 / 250 / 276 / 250 / 178 mm	1192 mm

Colour deviations are possible in combination with melamine fronts.

Handle combination



715 consisting of:

152 antique brown




Height 28 mm
 ⊕ 0 mm

311 antique brown



Height 22 mm
 ⊕⊕ 64 mm

Panels and pull-outs are supplied with the corresponding handle.
 Doors and flap doors are supplied with the illustrated knobs.



99315 consisting of:

154 black



Height 28 mm
 ⊕ 0 mm

99315 black



Height 2 mm
 ⊕ 192 mm

Framed glass doors and flaps will be supplied with knob 154.
 Sole supply of the rail handle is not possible since it is front integrated.
 Only available on door width with minimum 296 mm.

99301 consisting of:

150 stainless steel coloured



Height 28 mm
 ⊕ 0 mm


99301 stainless steel coloured



Height 2 mm
 ⊕ 192 mm

Framed glass doors and flaps will be supplied with knob 150.
 Sole supply of the rail handle is not possible since it is front integrated.
 Only available on door width with minimum 296 mm.

Handle strips



980 stainless steel coloured



Height 20 mm
⊕

982 black



Height 20 mm
⊕

983 steel brushed



Height 18 mm
⊕

Front widths	Handle length
146 mm (15)	146 mm
196 mm (20)	196 mm
246 mm (25)	246 mm
271 mm (27,1)	271 mm
296 mm (30)	296 mm
346 mm (35)	346 mm
396 mm (40)	396 mm
446 mm (45)	446 mm
496 mm (50)	496 mm
546 mm (55)	546 mm
596 mm (60)	596 mm
746 mm (75)	746 mm
758 mm (76,2)	758 mm
796 mm (80)	796 mm
896 mm (90)	896 mm
996 mm (100)	996 mm
1196 mm (120)	1196 mm
1496 mm (150)	1496 mm
1796 mm (180)	1796 mm

Handle arrangements

If delivery without handle and handle drilling is desired, please note order no. 998.



Horizontal (H)

Arrangement of the handle drilling horizontal on doors, centrally horizontal on panels and flap doors.

For handles with a 128 mm, 150 mm, 160 mm and 192 mm drilling hole distance, the handles are installed vertically on doors with a width of 246 mm and less!



Vertical (V)


Arrangement of the handle drilling vertical on doors, centrally horizontal on panels and flap doors.



Horizontal central (M)

Position of handle drilling horizontal central on doors, panels and flap doors.


For handles with a 128 mm, 150 mm, 160 mm, 192 mm and 224 mm drilling hole distance, the handles are installed vertically on doors with a width of 246 mm and less!



Bar handle

811


Pharmacy-style pull-outs are supplied with a horizontal bar handle.



Bar handle

840, 842, 843

The bar handle, with a drilling hole distance of 150 mm, will be installed vertically on doors with a width of less than 296 mm.



Handle strips

980, 982, 983